THE JOURNAL OF NUTRITION

OFFICIAL ORGAN OF THE AMERICAN INSTITUTE OF NUTRITION

GEORGE R. COWGILL, *Editor*
Yale Nutrition Laboratory, 333 Cedar Street
New Haven 11, Conn.

EDITORIAL BOARD

R. H. BARNES
PAUL L. DAY
H. H. MITCHELL
WILLIAM J. DARBY
D. M. HEGSTED
PEARL P. SWANSON
VERNON H. CHELDELIN
CARL V. MOORE
HAROLD H. WILLIAMS
ALEX BLACK
FLOYD S. DAFT
HARRY G. DAY

VOLUME 45

SEPTEMBER – DECEMBER 1951

PUBLISHED MONTHLY BY
THE WISTAR INSTITUTE OF ANATOMY AND BIOLOGY
PHILADELPHIA, PENNSYLVANIA

CONTENTS

No. 1 SEPTEMBER 1951

JEAN MAYER. Biography of Claude Bernard with frontispiece 3

J. LAGUNA AND K. J. CARPENTER. Raw versus processed corn in niacin-deficient diets. Two figures 21

MARGARET DAVIS DOYLE AND THELMA E. PORTER. The effect of kind and level of protein in the diet on the production of soft and skeletal tissues. Four figures 29

SAM C. SMITH AND C. A. ELVEHJEM. An interrelation of pteroylglutamic acid, vitamin B_{12} and the monkey anti-anemia factor. Two figures 47

LAWRENCE J. SCHROEDER, ROBERT A. STEWART AND ARTHUR H. SMITH. The nutritive effect of heating lactalbumin in the presence of various reducing sugars. Four figures 61

LELA E. BOOHER, IDA BEHAN AND EVELYN MCMEANS WITH THE TECHNICAL ASSISTANCE OF H. M. BOYD. Biologic utilizations of unmodified and modified food starches. Ten figures 75

R. L. LYMAN AND C. A. ELVEHJEM. Further studies on amino acid imbalance produced by gelatin in rats on niacin-tryptophan low ration. Three figures 101

VINCENT TOSCANI AND G. DONALD WHEDON. Nitrogen loss in the feces: the variability of excretion in normal subjects on constant dietary intakes. Five figures 119

F. F. CASTANO, R. V. BOUCHER AND E. W. CALLENBACH. Utilization by the chick of vitamin A from different sources. I. Crystalline carotene, crystalline vitamin A acetate, and "Black Cod" liver oil 131

HWA LIH AND C. A. BAUMANN. Effects of certain antibiotics on the growth of rats fed diets limiting in thiamine, riboflavin, or pantothenic acid ... 143

J. R. WHITLEY, B. L. O'DELL AND A. G. HOGAN. Effect of diet on maze learning in second-generation rats. Folic acid deficiency 153

Mead Johnson and Company 'B-Complex' Award 161

Osborne and Mendel Award 162

Borden Award in Nutrition 163

No. 2 OCTOBER 1951

S. D. Chen and C. Schuck. Excretion of the two biologically active forms of ascorbic acid and of diketogulonic acid by human subjects 165

E. S. Nasset, Joseph T. Anderson and Ann M. Siliciano. Nitrogen balance of adult rats fed diets low in L- and DL-threonine. One figure 173

R. J. Lalor, W. L. Leoschke and C. A. Elvehjem. Yellow fat in the mink . 183

Icie G. Macy and Helen A. Hunscher. Calories — a limiting factor in the growth of children. Three figures 189

F. R. Steggerda and H. H. Mitchell. The calcium balance of adult human subjects on high- and low-fat (butter) diets. One figure 201

Frank T. Lossy, Grace A. Goldsmith and Herbert P. Sarett. A study of test dose excretion of five B complex vitamins in man 213

Paul F. Fenton and Claire J. Carr. The nutrition of the mouse. XI. Response of four strains to diets differing in fat content. Two figures ... 225

Betty F. Steele and Corinne B. Le Bovit. Leucine and histidine tolerance in the human. Two figures 235

James W. Bothwell and J. N. Williams, Jr. A study of histidine deficiency and nitrogen balance under ad libitum and force-feeding conditions. One figure 245

Max Kleiber, Arthur H. Smith, N. P. Ralston and Arthur L. Black. Radiophosphorus (P^{32}) as tracer for measuring endogenous phosphorus in cow's feces. One figure 253

H. G. Barott and Emma M. Pringle. Effect of environment on growth and feed and water consumption of chickens. IV. The effect of light on early growth 265

K. W. Keane, Eva M. Cohn and B. Connor Johnson. Reproductive failure of rats on glyceryl trilaurate-containing diets and its prevention by certain natural fats 275

L. L. Rusoff, A. V. Davis and John A. Alford. Growth-promoting effect of aureomycin on young calves weaned from milk at an early age. One figure 289

Osborne and Mendel Award 301

Borden Award in Nutrition 302

Mead Johnson and Company 'B-Complex' Award 303

No. 3 NOVEMBER 1951

R. H. Snyder, H. J. Eisner and Harry Steenbock. The determination of vitamin D with radiophosphorus. Three figures 305

Earle W. Crampton and Lewis E. Lloyd. Studies with sheep on the use of chromic oxide as an index of digestibility of ruminant rations. One figure 319

D. R. Strength, E. A. Schaefer and W. D. Salmon. The relation of vitamin B_{12} and folacin to the utilization of choline and its precursors for lipotropism and renal protection in rats. Three figures 329

J. O. Anderson, G. F. Combs, A. C. Groschke and G. M. Briggs. Effect on chick growth of amino acid imbalances in diets containing low and adequate levels of niacin and pyridoxine. One figure 345

Vincent du Vigneaud, Charlotte Ressler and Julian R. Rachele and James A. Reyniers and Thomas D. Luckey. The synthesis of "biologically labile" methyl groups in the germ-free rat 361

Leslie P. Dryden, Arthur M. Hartman and Charles A. Cary. The relation of vitamin B_{12} deficiency to fertility of the female and birth weight of the young in rats fed purified casein rations 377

B. H. McBride, Barbara T. Guthneck, Eugenia Hoffert, Dorothy Knickel and B. S. Schweigert. Effect of frying bacon on the nutritive value of the protein 393

Jessie R. Beadles, H. H. Mitchell and T. S. Hamilton. The utilization of dietary calcium by growing albino rats fed diets containing lard or cocoa butter 399

Jane M. Leichsenring, Loana M. Norris and Sara A. Lamison and Eva Donelson Wilson and Mary Brown Patton. The effect of level of intake on calcium and phosphorus metabolism in college women 407

Stanley E. Beacom and John P. Bowland. The essential amino acid (except tryptophan) content of colostrum and milk of the sow 419

BETTY BEALL SZYMANSKI AND BERNARD B. LONGWELL. Plasma vitamin A and carotene determinations in a group of normal children. Two figures . 431

DANIEL P. QUIRING. West Indian and New Orleans Negro metabolism tests . 443

S. N. GERSHOFF AND C. A. ELVEHJEM. The relative effect of methionine sulfoximine on different animal species. Three figures 451

Borden Award in Nutrition 459

Mead Johnson and Company 'B-Complex' Award 460

Osborne and Mendel Award 461

No. 4 DECEMBER 1951

FRANCES A. JOHNSTON AND DORETTA SCHLAPHOFF. Nitrogen retained by six adolescent girls from two levels of intake 463

JANE M. LEICHSENRING, LOANA M. NORRIS AND SARA A. LAMISON. Magnesium metabolism in college women: Observations on the effect of calcium and phosphorus intake levels 477

STANLEY LEVEY AND JAMES M. ORTEN. Vitamin B_{12} and the production of polycythemia by cobalt 487

MARGARET BARRETT AND GLADYS EVERSON. Deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of the rat for reproduction. I. Thiamine and riboflavin. Five figures 493

R. YAMAMOTO, CHARLES BARROWS, JR., CALVIN LANG AND BACON F. CHOW. Further studies on the absorption of vitamin B_{12} following oral and parenteral administration 507

SAMUEL M. GREENBERG, CLARENCE E. CALBERT, HARRY J. DEUEL, JR., AND J. B. BROWN. The effect of fat level of the diet on general nutrition. VII. Comparison of the potency of arachidonic and linoleic acids in furnishing the requirement for essential fatty acids in the rat. One figure 521

HARRY J. DEUEL, JR., SAMUEL M. GREENBERG, LILLA ANISFELD AND DANIEL MELNICK. The effect of fat level of the diet on general nutrition. VIII. The essential fatty acid content of margarines, shortenings, butters, and cottonseed oil as determined by a new biological assay method. Two figures 535

MARIAN L. MEYER, H. T. THOMPSON AND C. A. ELVEHJEM. The effect of vitamin B_{12} on reproduction and lactation in rats receiving pork or beef diets 551

ROSE ALLEN KRAFT AND AGNES FAY MORGAN. The effect of heat treatment on the nutritive value of milk proteins. IV. The biological value of unheated and autoclaved dried skim milk. Three figures 567

SAM C. SMITH AND C. A. ELVEHJEM. Further studies on the monkey antianemia factor deficiency produced by riboflavin deficiency. Two figures . 583

HANS R. ROSENBERG AND EDWARD L. ROHDENBURG. The fortification of bread with lysine. I. The loss of lysine during baking 593

LILLA ANISFELD, SAMUEL M. GREENBERG AND HARRY J. DEUEL, JR. The lack of a correlation between the growth response of the fat-depleted rat to essential fatty acids and the tocopherol content of the diet 599

MARIANNE GOETTSCH. Minimum protein requirement of the adult rat for 28-day periods of maintenance of body weight 609

Mead Johnson and Company 'B-Complex' Award 621

Osborne and Mendel Award 622

Borden Award in Nutrition 623

INDEX

ACETATE, crystalline vitamin A (see Crystalline vitamin A acetate).
Ad libitum and force-feeding conditions, histidine deficiency and nitrogen balance under, 245.
Adolescent girls, nitrogen retained by 6, from two levels of intake, 463.
Adult human subjects (see Man, adult).
— rat (See Rat, adult).
Albino rats (see Rats, albino).
ALFORD, J. A. See Rusoff, L. L., 289.
Amino acid content, essential (except tryptophan), of colostrum and milk of sow, 419.
—— imbalance(s) in diets containing low and adequate levels of niacin and pyridoxine, effect on chick growth of, 345.
—— —— produced by gelatin in rats on niacin-tryptophan low ration, further studies on, 101.
ANDERSON, J. O., G. F. COMBS, A. C. GROSCHKE AND C. M. BRIGGS. Effect on chick growth of amino acid imbalances in diets containing low and adequate levels of niacin and pyridoxine, 345.
ANDERSON, J. T. See Nasset, E. S., 173.
Animal species, relative effect of methionine sulfoximine on different, 451.
ANISFELD, L., S. M. GREENBERG AND H. J. DEUEL, JR. The lack of a correlation between the growth response of the fat-depleted rat to essential fatty acids and the tocopherol content of the diet, 599.
— See Deuel, H. J., Jr., 535.
Anti-anemia factor deficiency, monkey, produced by riboflavin deficiency, further studies on, 583.
—— monkey, interrelation of pteroylglutamic acid, vitamin B_{12} and, 47.
Antibiotics, effects of certain, on growth of rats fed diets limiting in thiamine, riboflavin or pantothenic acid, 143.
Arachidonic and linoleic acids, comparison of potency of, in furnishing requirement for essential fatty acids in rat, 521.
Ascorbic acid, excretion of two biologically active forms of, and of diketogulonic acid, by human subjects, 165.
Assay method, new biological, essential fatty acid content of margarines, shortenings, butters and cottonseed oil as determined by, 535.
Aureomycin, growth-promoting effect on young calves weaned from milk at an early age, 289.
Award, Borden, in Nutrition, 1952, announcement, 163, 302, 459, 623.
— Mead Johnson and Company "B-Complex," 1952, announcement, 161, 303, 460, 621.
— Osborne and Mendel, 1952, announcement, 162, 301, 461, 622.

B complex award (see Mead Johnson and Company).
—— vitamins (see Vitamins).
— vitamins, deposition in normally developing fetuses as evidence for increased vitamin needs of rat for reproduction. I. Thiamine and riboflavin, 493.
Bacon, effect of frying on nutritive value of protein, 393.
Baking, loss of lysine during. Fortification of bread with lysine. I., 593.
Balance, calcium, of adult human subjects on high- and low-fat (butter) diets, 201.
— nitrogen, and histidine deficiency under ad libitum and force-feeding conditions, 245.
—— of adult rats fed diets low in L- and DL-threonine, 173.
BAROTT, H. G., AND E. M. PRINGLE. Effect of environment on growth and feed and water consumption of chickens. IV. The effect of light on early growth, 265.
BARRETT, M., AND G. EVERSON. Deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of the rat for reproduction. I. Thiamine and riboflavin, 493.
BARROWS, C., JR. See Yamamoto, R., 507.
BAUMANN, C. A. See Lih, H., 143.
BEACOM, S. E., AND J. P. BOWLAND. The essential amino acid (except tryptophan) content of colostrum and milk of the sow, 419.
BEADLES, J. R., E. H. MITCHELL AND T. S. HAMILTON. The utilization of dietary calcium by growing albino rats fed diets containing lard or cocoa butter, 399.
Beef diets, effect of vitamin B_{12} on reproduction and lactation in rats receiving, 551.
BEHAN, I. T. See Booher, L. E., 75.
BERNARD, CLAUDE (1813–1878), 3.
Biologic utilizations of unmodified and modified food starches, 75.
Biological assay method, new, essential fatty acid content of margarines, shortenings, butters and cottonseed oil as determined by, 535.
— value of unheated and autoclaved dried skim milk, 567.
Birth weight of young in rats fed purified casein rations, relation of vitamin B_{12} deficiency to, 377.
BLACK, A. L. See Kleiber, M., 253.
"Black cod" liver oil, crystalline carotene, and crystalline vitamin A acetate. Utilization by chick of vitamin A from different sources. I., 131.
Body weight, minimum protein requirement of adult rats for 28-day periods of maintenance of, 609.

Booher, L. E., I. T. Behan and F. E. McMeans. Biologic utilizations of unmodified and modified food starches, 75.
Borden award in Nutrition, 1952, announcement, 163, 302, 459, 623.
Bothwell, J. W., and J. N. Williams, Jr. A study of histidine deficiency and nitrogen balance under ad libitum and force-feeding conditions, 245.
Boucher, R. V. See Castano, F. F., 131.
Bowland, J. P. See Beacom, S. E., 419.
Boyd, H. M. See Booher, L. E., 75.
Bread, fortification with lysine, I., 593.
Briggs, G. M., See Anderson, J. O., 345.
Brown, J. B. See Greenberg, S. M., 521.
Butter(s), cocoa (see Cocoa butter).
— diets (high- and low-fat), calcium balance of adult human subjects on, 201.
— essential fatty acid content of, as determined by new biological assay method, 535.

Calbert, C. E. See Greenberg, S. M., 521.
Calcium and phosphorus intake levels, observations on effect on magnesium metabolism in college women, 477.
— — — — metabolism in college women, effect of level of intake on, 407.
— balance of adult human subjects on high- and low-fat (butter) diets, 201.
— dietary, utilization by growing albino rats fed diets containing lard or cocoa butter, 399.
Callenbach, E. W. See Castano, F. F., 131.
Calories — a limiting factor in growth of children, 189.
Calves, young, weaned from milk at an early age, growth-promoting effect on, of aureomycin, 289.
Carotene and plasma vitamin A determinations in a group of normal children, 431.
— crystalline, crystalline vitamin A acetate and "black cod" liver oil. Utilization by chick of vitamin A from different sources. I., 131.
Carpenter, K. J. See Laguna, J., 21.
Carr, C. J. See Fenton, P. F., 225.
Cary, C. A. See Dryden, L. P., 377.
Casein rations, purified, relation of vitamin B_{12} deficiency to fertility of female and birth weight of young in rats fed, 377.
Castano, F. F., R. V. Boucher and E. W. Callenbach. Utilization by the chick of vitamin A from different sources. I. Crystalline carotene, crystalline vitamin A acetate and "black cod" liver oil, 131.
Chen, S. D., and C. Schuck. Excretion of the two biologically active forms of ascorbic acid and of diketogulonic acid by human subjects, 165.
Chick growth, effect on, of amino acid imbalances in diets containing low and adequate levels of niacin and pyridoxine, 345.
— utilization by, of vitamin A from different sources. I. Crystalline carotene, crystalline vitamin A acetate and "black cod" liver oil, 131.
Chickens, effect of environment on growth and feed and water consumption of. IV., 265.
— effect of light on early growth of, 265.
Children — calories a limiting factor in growth of, 189.
— plasma vitamin A and carotene determinations in a group of normal, 431.
Choline and its precursors, relation of vitamin B_{12} and folacin to utilization of, for lipotropism and renal protection in rats, 329.
Chow, B. F. See Yamamoto, R., 507.
Chromic oxide, studies with sheep on use as index of digestibility of ruminant rations, 319.
Claude Bernard (1813–1878), 3.
Cobalt, vitamin B_{12} and production of polycythemia by, 467.
Cocoa butter, utilization of dietary calcium by growing albino rats fed diets containing, 399.
Cod liver oil, black. Utilization by chick of vitamin A from different sources. I., 131.
Cohn, E. M. See Keane, K. W., 275.
College women (see Women, college).
Colostrum and milk of sow, essential amino acid (except tryptophan) content of, 419.
Combs, G. F. See Anderson, J. O., 345.
Corn, raw versus processed, in niacin-deficient diets, 21.
Correlation, lack of, between growth response of fat-depleted rat to essential fatty acids and tocopherol content of diet, 599.
Cottonseed oil, essential fatty acid content of, as determined by new biological assay method, 535.
Cow's feces, radiophosphorus (P^{32}) as tracer for measuring endogenous phosphorus in, 253.
Crampton, E. W., and L. E. Lloyd. Studies with sheep on the use of chromic oxide as an index of digestibility of ruminant rations, 319.
Crystalline carotene and vitamin A acetate and "black cod" liver oil. Utilization by chick of vitamin A from different sources. I., 131.

Davis, A. V. See Rusoff, L. L., 289.

Deuel, H. J., Jr., S. M. Greenberg, L. Anisfeld and D. Melnick. The effect of fat level of the diet on general nutrition. VIII. The essential fatty acid content of margarines, shortenings, butters and cottonseed oil as determined by a new biological assay method, 535.
— See Anisfeld, L., 599; Greenberg, S. M., 599.
Diet(s) containing lard or cocoa butter, utilization of dietary calcium by growing albino rats fed, 399.
— — low and adequate levels of niacin and pyridoxine, effect on chick growth of amino acid imbalances in, 345.
— differing in fat content, response of 4 strains of mice to, 225.
— effect of fat level of, on general nutrition. VII., 521; VIII., 535.
— — — of kind and level of protein in, on production of soft and skeletal tissues, 29.
— — on maze learning in second-generation rats. Folic acid deficiency, 153.
— glyceryl trilaurate-containing, reproductive failure of rats on, and its prevention by certain natural fats, 275.
— high- and low-fat (butter), calcium balance of adult human subjects on, 201.
— lack of correlation between growth response of fat-depleted rat to essential fatty acids and tocopherol content of, 599.
— limiting in thiamine, riboflavin or pantothenic acid, effects of certain antibiotics on growth of rats fed, 143.
— low in L- and DL-threonine, nitrogen balance of adult rats fed, 173.
— niacin-deficient, raw versus processed corn in, 21.

— pork or beef, effect of vitamin B_{12} on reproduction and lactation in rats receiving, 551.
Dietary calcium, utilization by growing albino rats, fed diets containing lard or cocoa butter, 399.
— intakes, constant, variability of excretion in normal subjects on: nitrogen loss in feces, 119.
Digestibility of ruminant rations, studies with sheep on use of chromic oxide as index of, 319.
Diketogulonic acid, excretion of two biologically active forms of ascorbic acid and of, by human subjects, 165.
DOYLE, M. D., AND T. E. PORTER. The effect of kind and level of protein in the diet on the production of soft and skeletal tissues, 29.
Dried skim milk (see Milk, dried skim).
DRYDEN, L. P., A. M. HARTMAN AND C. A. CARY. The relation of vitamin B_{12} deficiency to fertility of the female and birth weight of the young in rats fed purified casein rations, 377.
DU VIGNEAUD, V., C. RESSLER, J. R. RACHELE, J. A. REYNIERS AND T. D. LUCKEY. The synthesis of "biologically labile" methyl groups in the germ-free rat, 361.

EISNER, H. J. See Synder, R. H., 305.
ELVEHJEM, C. A. See Gershoff, S. N., 451; Lalor, R. J., 183; Lyman, R. L., 101; Meyer, M. L., 551; Smith, S. C., 47, 583.
Endogenous phosphorus in cow's feces, radiophosphorus (P^{32}) as tracer for measuring, 253.
Environment, effect on growth and feed and water consumption of chickens. IV. Effect of light on early growth, 265.
EVERSON, G. See Barrett, M., 493.
Excretion of two biologically active forms of ascorbic acid and of diketogulonic acid by human subjects, 165.
— test dose, of 5 B complex vitamins in man, 213.
— variability in normal subjects on constant dietary intakes: nitrogen loss in feces, 119.

FAILURE, reproductive, of rats on glyceryl trilaurate-containing diets and its prevention by certain natural fats, 275.
Fat(s), certain natural, reproductive failure of rats on glyceryl trilaurate-containing diets and its prevention by, 275.
— content, response of 4 strains of mice to diets differing in, 225.
— diets (butter), high- and low-, calcium balance of adult human subjects on, 201.
— level of diet, effect on general nutrition. VII. Comparison of potency of arachidonic and linoleic acids in furnishing requirement for essential fatty acids in rat, 521; VIII. Essential fatty acid content of margarines, shortenings, butters and cottonseed oil as determined by new biological assay method, 535.
— yellow, in mink, 183.
Fat-depleted rat, growth response to essential fatty acids, and tocopherol content of diet, lack of correlation between, 599.
Fatty acid(s) content, essential, of margarines, shortenings, butters and cottonseed oil as determined by new biological assay method, 535.
— — essential, in rat, comparison of potency of arachidonic and linoleic acids in furnishing requirement for, 521.
— — — — lack of correlation between growth response of fat-depleted rat to, and tocopherol content of diet, 599.
Feces, cow's radiophosphorus (P^{32}) as tracer for measuring endogenous phosphorus in, 253.
— nitrogen loss in: variability of excretion in normal subjects on constant dietary intakes, 119.
Feed consumption of chickens, effect of environment on, IV., 265.
Female rats fed purified casein rations, relation of vitamin B_{12} deficiency to fertility of, 377.
FENTON, P. F., AND C. J. CARR. The nutrition of the mouse. XI. Response of 4 strains to diets differing in fat content, 225.
Fertility of female and birth weight of young in rats fed purified casein rations, relation of vitamin B_{12} deficiency to, 377.
Fetuses, normally developing, deposition of B vitamins in, as evidence for increased vitamine needs of rat for reproduction. I. Thiamine and riboflavin, 493.
Folacin and vitamin B_{12}, relation to utilization of choline and its precursors for lipotropism and renal protection in rats, 329.
Folic acid deficiency. Effect of diet on maze learning in second-generation rats, 153.
Food starches, unmodified and modified, biologic utilizations of, 75.
Force-feeding and ad libitum conditions, histidine deficiency and nitrogen balance under, 245.
Fortification of bread with lysine. I. Loss of lysine during baking, 593.
Frying bacon, effect on nutritive value of protein, 393.

GELATIN, amino acid imbalance produced by, in rats on niacin-tryptophan low ration, further studies on, 101.
Germ-free rat, synthesis of "biologically labile" methyl groups in, 361.
GERSHOFF, S. N., AND C. A. ELVEHJEM. The relative effect of methionine sulfoximine on different animal species, 451.
Girls, 6 adolescent, nitrogen retained by, from two levels of intake, 463.
Glyceryl trilaurate-containing diets, reproductive failure of rats on, and its prevention by certain natural fats, 275.
GOETTSCH, M. Minimum protein requirement of the adult rat for 28-day periods of maintenance of body weight, 609.
GOLDSMITH, G. A. See Lossy, F. T., 213.
GREENBERG, S. M., C. E. CALBERT, H. J. DEUEL, JR. AND J. B. BROWN. The effect of fat level of the diet on general nutrition. VII. Comparison of the potency of arachidonic and linoleic acids in furnishing the requirement for essential fatty acids in the rat, 521.
— See Anisfeld, L., 521; Deuel, H. J., Jr., 521.
GROSCHKE, A. C. See Anderson, J. O., 345.
Growth, chick, effect on, of amino acid imbalances in diets containing low and adequate levels of niacin and pyridoxine, 345.
— early, of chickens, effect of light on, 265.
— of chickens, effect of environment on. IV., 265.
— of children, calories a limiting factor in, 189.

— of rats fed diets limiting in thiamine, riboflavin, or pantothenic acid, effects of certain antibiotics on, 143.
— response of fat-depleted rat to essential fatty acids and tocopherol content of diet, lack of correlation between, 599.
Growth-promoting effect of aureomycin on young calves weaned from milk at an early age, 289.
GUTHNECK, B. T. See McBride, B. H., 393.

HAMILTON, T. S. See Beadles, J. R., 399.
HARTMAN, A. M. See Dryden, L. P., 377.
Heat treatment, effect on nutritive value of milk proteins. IV. Biological value of unheated and autoclaved dried skim milk, 567.
Histidine and leucine tolerance in the human, 235.
— deficiency and nitrogen balance under ad libitum and force-feeding conditions, 245.
HOFFERT, E. See McBride, B. H., 393.
HOGAN, A. G. See Whitley, J. R., 153.
Humans (see Man).
Human subjects (see Man).
HUNSCHER, H. A. See Macy, I. G., 189.

IMBALANCE(S), amino acid, in diets containing low and adequate levels of niacin and pyridoxine, effect on chick growth of, 345.
——— produced by gelatin in rats on niacin-tryptophan low ration, further studies on, 101.
Indian (West) and New Orleans Negro metabolism tests, 443.

JOHNSON, B. C. See Keane, K. W., 275.
JOHNSTON, F. A., AND D. SCHLAPHOFF. Nitrogen retained by 6 adolescent girls from two levels of intake, 463.

KEANE, K. W., E. M. COHN AND B. C. JOHNSON. Reproductive failure of rats on glyceryl trilaurate-containing diets and its prevention by certain natural fats, 275.
Kind and level of protein in diet, effect on production of soft and skeletal tissues, 29.
KLEIBER, M., A. H. SMITH, N. P. RALSTON AND A. L. BLACK. Radiophosphorus (P^{32}) as tracer for measuring endogenous phosphorus in cow's feces, 253.
KNICKEL, D. See McBride, B. H., 393.
KRAFT, R. A., AND A. F. MORGAN. The effect of heat treatment on the nutritive value of milk proteins. IV. The biological value of unheated and autoclaved dried skim milk, 567.

LACTALBUMIN, nutritive effect of heating in presence of various reducing sugars, 61.
Lactation and reproduction in rats receiving pork or beef diets, effect of vitamin B_{12} on, 551.
LAGUNA, J., AND K. J. CARPENTER. Raw versus processed corn in niacin-deficient diets, 21.
LALOR, R. J., W. L. LEOSCHKE AND C. A. ELVEHJEM. Yellow fat in the mink, 183.
LAMISON, S. A. See Leichsenring, J. M., 407, 477.
LANG, C. See Yamamoto, R., 507.
Lard, utilization of dietary calcium by growing albino rats fed diets containing, 399.
Learning, maze (see Maze learning).
LE BOVIT, C. B. See Steele, B. F., 235.
LEICHSENRING, J. M., L. M. NORRIS AND S. A. LAMISON. Magnesium metabolism in college women: observations on the effect of calcium and phosphorus intake levels, 477.
——— E. D. WILSON AND M. B. PATTON. The effect of level of intake on calcium and phosphorus metabolism in college women, 407.
LEOSCHKE, W. L. See Lalor, R. J., 183.
Leucine and histidine tolerance in the human, 235.
LEVEY, S., AND J. M. ORTEN. Vitamin B_{12} and the production of polycythemia by cobalt, 487.
Light, effect on early growth of chickens, 265.
LIH, H., AND C. A. BAUMANN. Effects of certain antibiotics on the growth of rats fed diets limiting in thiamine, riboflavin, or pantothenic acid, 143.
Linoleic and arachidonic acids, comparison of potency of, in furnishing requirement for essential fatty acids in rats, 521.
Lipotropism and renal protection in rats, relation of vitamin B_{12} and folacin to utilization of choline and its precursors for, 329.
Liver oil ("black cod"), crystalline carotene and crystalline vitamin A acetate. Utilization by chick of vitamin A from different sources. I., 131.
LLOYD, L. E. See Crampton, E. W., 319.
LONGWELL, B. B. See Szymanski, B. B., 431.
Loss, nitrogen, in feces: variability of excretion in normal subjects on constant dietary intakes, 119.
LOSSY, F. T., G. A. GOLDSMITH AND H. P. SARETT. A study of test dose excretion of 5 B complex vitamins in man, 213.
LUCKEY, T. D. See du Vigneaud, V., 361.
LYMAN, R. L., AND C. A. ELVEHJEM. Further studies on amino acid imbalance produced by gelatin in rats on niacin-tryptophan low ration, 101.
Lysine, fortification of bread with. I. Loss during baking, 593.

MACY, I. G., AND H. A. HUNSCHER. Calories — a limiting factor in the growth of children, 189.
Magnesium metabolism (see Metabolism, magnesium).
Maintenance of body weight, minimum protein requirement of adult rat for 28-day periods of, 609.
Man, adult, calcium balance on high- and low-fat (butter) diets, 201.
— excretion of two biologically active forms of ascorbic acid and of diketogulonic acid by, 165.
— leucine and histidine tolerance in, 235.
— test dose excretion of 5 B complex vitamins in, 213.
Margarines, essential fatty acid content of, as determined by new biological assay method, 535.
MAYER, J. Claude Bernard (1813-1878), 3.
Maze learning in second-generation rats, effect of diet on. Folic acid deficiency, 153.
MCBRIDE, B. H., B. T. GUTHNECK, E. HOFFERT, D. KNICKEL AND B. S. SCHWEIGERT. Effect of frying bacon on the nutritive value of the protein, 393.
MCMEANS, F. E. See Booher, L. E., 75.
Mead Johnson and Company "B-complex" award, 1952, announcement, 161, 303, 460, 621.

MELNICK, D. See Deuel, H. J., Jr., 535.
Metabolism, calcium and phosphorus, in college women, effect of level of intake on, 407.
— magnesium, in college women: observations on effect of calcium and phosphorus intake levels, 477.
— tests, West Indian and New Orleans Negro, 443.
Methionine sulfoximine, relative effect on different animal species, 451.
Methyl groups ("biologically labile"), synthesis in germ-free rat, 361.
MEYER, M. L., H. T. THOMPSON AND C. A. ELVEHJEM. The effect of vitamin B_{12} on reproduction and lactation in rats receiving pork or beef diets, 551.
Mice, response of 4 strains to diets differing in fat content, 225.
Milk and colostrum of sow, essential amino acid (except tryptophan) content of, 419.
— (dried skim), unheated and autoclaved, biological value of, 567.
— growth-promoting effect of aureomycin on young calves weaned from, at an early age, 289.
— proteins, effect of heat treatment on nutritive value of. IV., 567.
Mink, yellow fat in, 183.
MITCHELL, H. H. See Beadles, J. R., 399; Steggerda, F. R., 201.
Monkey anti-anemia factor deficiency produced by riboflavin deficiency, further studies on, 583.
— — — pteroylglutamic acid, and vitamin B_{12}, interrelation of, 47.
MORGAN, A. F. See Kraft, R. A., 567.
Mouse, nutrition of. XI., 225.

NASSET, E. S., J. T. ANDERSON AND A. M. SILICIANO. Nitrogen balance of adult rats fed diets low in L- and DL-threonine, 173.
Negro (West Indian and New Orleans) metabolism tests, 443.
New Orleans and West Indian Negro metabolism tests, 443.
Niacin and pyridoxine, effect on chick growth of amino acid imbalances in diets containing low and adequate levels of, 345.
Niacin-deficient diets, raw versus processed corn in, 21.
Niacin-tryptophan low ration, further studies on amino acid imbalance produced by gelatin in rats on, 101.
Nitrogen balance and histidine deficiency under ad libitum and force-feeding conditions, 245.
— — of adult rats fed diets low in L- and DL-threonine, 173.
— loss in feces: variability of excretion in normal subjects on constant dietary intakes, 119.
— retained by 6 adolescent girls from two levels of intake, 463.
NORRIS, L. M. See Leichsenring, J. M., 407, 477.
Nutrition, Borden award in, 1952, announcement, 163, 302, 459, 623.
— general, effect of fat level of diet on. VII., 521; VIII., 535.
— of the mouse. XI. Response of 4 strains to diets differing in fat content, 225.
Nutritive effect of heating lactalbumin in presence of various reducing sugars, 61.
— value of milk proteins, effect of heat treatment on. IV., 567.
— — of protein, effect of frying bacon on, 393.

O'DELL, B. L. See Whitley, J. R., 153.
Oil, cottonseed (see Cottonseed oil).
Oral administration, further studies on absorption of vitamin B_{12} following, 507.
ORTEN, J. M. See Levey, S., 487.
Osborne and Mendel Award, 1952, announcement, 162, 301, 461, 622.
Oxide, chromic (see Chromic oxide).

P32 (radiophosphorus) as tracer for measuring endogenous phosphorus in cow's feces, 253.
Pantothenic acid, effects of certain antibiotics on growth of rats fed diets limiting in, 143.
Parenteral administration, further studies on absorption of vitamin B_{12} following, 507.
PATTON, M. B. See Leichsenring, J. M., 407.
Phosphorus and calcium intake levels, observations on effect on magnesium metabolism in college women, 477.
— — — metabolism in college women, effect of level of intake on, 407.
— endogenous, in cow's feces, radiophosphorus (P^{32}) as tracer for measuring, 253.
Plasma vitamin A and carotene determinations in a group of normal children, 431.
Polycythemia, vitamin B_{12} and production of, by cobalt, 487.
Pork diets, effect of vitamin B_{12} on reproduction and lactation in rats receiving, 551.
PORTER, T. E. See Doyle, M. D., 29.
Potency of arachidonic and linoleic acids in furnishing requirement for essential fatty acids in rat, comparison of, 521.
Precursors, choline and its, relation of vitamin B_{12} and folacin to utilization of, for lipotropism and renal protection in rats, 329.
PRINGLE, E. M. See Barott, H. G., 265.
Processed versus raw corn in niacin-deficient diets, 21.
Protection, renal, and lipotropism in rats, relation of vitamin B_{12} and folacin to utilization of choline and its precursors for, 329.
Protein(s), effect of frying bacon on nutritive value of, 393.
— in diet, effect of kind and level on production of soft and skeletal tissues, 29.
— milk, effect of heat treatment on nutritive value of. IV., 567.
— requirement, minimum, of adult rat for 28-day periods of maintenance of body weight, 609.
Pteroylglutamic acid, vitamin B_{12}, and monkey anti-anemia factor, interrelation of, 47.
Purified casein rations, relation of vitamin B_{12} deficiency to fertility of female and birth weight of young in rats fed, 377.
Pyridoxine and niacin, effect on chick growth of amino acid imbalances in diets containing low and adequate levels of, 345.

QUIRING, D. P. West Indian and New Orleans Negro metabolism tests, 443.

RACHELE, J. R. See du Vigneaud, V., 361.
Radiophosphorus, determination of vitamin D with, 305.

— (P^{32}) as tracer for measuring endogenous phosphorus in cow's feces, 253.
RALSTON, N. P. See Kleiber, M., 253.
Rat(s), adult, fed diets low in L- and DL-threonine, nitrogen balance of, 173.
—— minimum protein requirement for 28-day periods of maintenance of body weight, 609.
— comparison of potency of arachidonic and linoleic acids in furnishing requirement for essential fatty acids in, 521.
— deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of, for reproduction. I. Thiamine and riboflavin, 493.
— fat-depleted, lack of correlation between growth response to essential fatty acids and tocopherol content of diet, 599.
— fed diets limiting in thiamine, riboflavin, or pantothenic acid, effects of certain antibiotics on growth of, 143.
—— purified casein rations, relation of vitamin B_{12} deficiency to fertility of female and birth weight of young in, 377.
— germ-free, synthesis of "biologically labile" methyl groups in, 361.
— growing albino, fed diets containing lard or cocoa butter, utilization by, of dietary calcium, 399.
— on niacin-tryptophan low ration, further studies on amino acid imbalance produced by gelatin in, 101.
— receiving pork or beef diets, effects of vitamin B_{12} on reproduction and lactation in, 551.
— relation of vitamin B_{12} and folacin to utilization of choline and its precursors for lipotropism and renal protection in rats, 329.
— reproductive failure on glyceryl trilaurate-containing diets and its prevention by certain natural fats, 275.
— second-generation, effect of diet on maze learning in. Folic acid deficiency, 153.
Ration(s), niacin-tryptophan low, further studies on amino acid imbalance produced by gelatin in rats on, 101.
— purified casein, relation of vitamin B_{12} deficiency to fertility of female and birth weight of young in rats fed, 377.
— ruminant, studies with sheep on use of chromic oxide as index of digestibility of, 319.
Raw versus processed corn in niacin-deficient diets, 21.
Reducing sugars (see Sugars, reducing).
Renal protection and lipotropism in rats, relation of vitamin B_{12} and folacin to utilization of choline and its precursors for, 329.
Reproduction and lactation in rats receiving pork or beef diets, effect of vitamin B_{12} on, 551.
— deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of rat. I. Thiamine and riboflavin, 493.
Reproductive failure of rats on glyceryl trilaurate-containing diets and its prevention by certain natural fats, 275.
RESSLER, C. See du Vigneaud, V., 361.
REYNIERS, J. A. See du Vigneaud, V., 361.
Riboflavin deficiency, further studies on monkey anti-anemia factor deficiency produced by, 583.
— deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of rat for reproduction. I., 493.
— effects of certain antibiotics on growth of rats fed diets limiting in, 143.
ROHDENBURG, E. L. See Rosenberg, H. R., 593.
ROSENBERG, H. R., AND E. L. ROHDENBERG. The fortification of bread with lysine. I. The loss of lysine during baking, 593.
Ruminant rations, studies with sheep on use of chromic oxide as index of digestibility of, 319.
RUSOFF, L. L., A. V. DAVIS AND J. A. ALFORD. Growth-promoting effect of aureomycin on young calves weaned from milk at an early age, 289.

SALMON, W. D. See Strength, D. R., 329.
SARETT, H. P. See Lossy, F. T., 213.
SCHAEFER, A. E. See Strength, D. R., 329.
SCHLAPHOFF, D. See Johnston, F. A., 463.
SCHROEDER, L. J., R. A. STEWART AND A. H. SMITH. The nutritive effect of heating lactalbumin in the presence of various reducing sugars, 61.
SCHUCK, C. See Chen, S. D., 165.
SCHWEIGERT, B. S. See McBride, B. H., 393.
Sheep, studies with, on use of chromic oxide as index of digestibility of ruminant rations, 319.
Shortenings, essential fatty acid content of, as determined by new biological assay method, 535.
SILICIANO, A. M. See Nasset, E. S., 173.
Skeletal and soft tissues, effect of kind and level of protein in diet on production of, 29.
Skim milk (dried), unheated and autoclaved, biological value of, 567.
SMITH, A. H. See Kleiber, M., 253; Schroeder, L. J., 61.
SMITH, S. C., AND C. A. ELVEHJEM. An interrelation of pteroylglutamic acid, vitamin B_{12} and the monkey anti-anemia factor, 47; Further studies on the monkey anti-anemia factor deficiency produced by riboflavin deficiency, 583.
SNYDER, R. H., H. J. EISNER AND H. STEENBOCK. The determination of vitamin D with radiophosphorus, 305.
Soft and skeletal tissues, effect of kind and level of protein in diet on production of, 29.
Sow, essential amino acid (except tryptophan) content of colostrum and milk of, 419.
Species, different animal, relative effect of methionine sulfoximine on, 451.
Starches, unmodified and modified food, biologic utilizations of, 75.
STEELE, B. F., AND C. B. LE BOVIT. Leucine and histidine tolerance in the human, 235.
STEENBOCK, H. See Synder, R. H., 305.
STEGGERDA, F. R., AND H. H. MITCHELL. The calcium balance of adult human subjects on high- and low-fat (butter) diets, 201.
STEWART, R. A. See Schroeder, L. J., 61.
STRENGTH, D. R., A. E. SCHAEFER AND W. D. SALMON. The relation of vitamin B_{12} and folacin to the utilization of choline and its precursors for lipotropism and renal protection in rats, 329.
Subjects, normal, on constant dietary intakes, variability of excretion in: nitrogen loss in feces, 119.
Sugars, reducing, nutritive effect of heating lactalbumin in presence of various, 61.

Sulfoximine (methionine), relative effect on different animal species, 451.
Synthesis of "biologically labile" methyl groups in germ-free rat, 361.
SEYMANSKI, B. B., AND B. B. LONGWELL. Plasma vitamin A and carotene determinations in a group of normal children, 431.

TEST(S) dose excretion of 5 B complex vitamins in man, 213.
— West Indian and New Orleans Negro metabolism, 443.
Thiamine — deposition of B vitamins in normally developing fetuses as evidence for increased vitamin needs of rat for reproduction. I., 493.
— effects of certain antibiotics on growth of rats fed diets limiting in, 143.
THOMPSON, H. T. See Meyer, M. L., 551.
Threonine (L- and DL-), nitrogen balance of adult rats fed diets low in, 173.
Tissues, soft and skeletal, effect of kind and level of protein in diet on production of, 29.
Tocopherol content of diet, lack of correlation between growth response of fat-depleted rat to essential fatty acids and, 599.
Tolerance, leucine and histidine, in the human, 235.
TOSCANI, V., AND G. D. WHEDON. Nitrogen loss in the feces: The variability of excretion in normal subjects on constant dietary intakes, 119.
Tracer for measuring endogenous phosphorus in cow's feces, radiophosphorus (P^{32}) as, 253.
Trilaurate (glyceryl)-containing diets, reproductive failure of rats on, and its prevention by certain natural fats, 275.
Tryptophan-niacin low ration, further studies on amino acid imbalance produced by gelatin in rats on, 101.

VARIABILITY of excretion in normal subjects on constant dietary intakes: nitrogen loss in feces, 119.
Vitamin(s) A acetate (crystalline), crystalline carotene and "black cod" liver oil. Utilization by chick of vitamin A from different sources. I., 131.
—— from different sources, utilization by chick. I., 131.
—— (plasma) and carotene determinations in a group of normal children, 431.
— B complex (5), test dose excretion in man, 213.
—— deposition in normally developing fetuses as evidence for increased vitamin needs of rat for reproduction. I. Thiamine and riboflavin, 493.
— B_{12} and folacin, relation to utilization of choline and its precursors for lipotropism and renal protection in rats, 329.
—— and production of polycythemia by cobalt, 487.
—— deficiency, relation to fertility of female and birth weight of young in rats fed purified casein rations, 377.
—— effect on reproduction and lactation in rats receiving pork or beef diets, 551.
—— further studies on absorption of, following oral and parenteral administration, 507.
—— pteroylglutamic acid, and monkey antianemia factor, interrelation of, 47.
— D, determination with radiophosphorus, 305.
— needs of rat for reproduction, deposition of B vitamins in normally developing fetuses as evidence for increased. I. Thiamine and riboflavin, 493.

WATER consumption of chickens, effect of environment on. IV., 265.
Weight, birth, of young in rats fed purified casein rations, relation of vitamin B_{12} deficiency to, 377.
— body, minimum protein requirement of adult rat for 28-day periods of maintenance of, 609.
West Indian and New Orleans Negro metabolism tests, 443.
WHEDON, G. D. See Toscani, V., 119.
WHITLEY, J. R., B. L. O'DELL AND A. G. HOGAN. Effect of diet on maze learning in second-generation rats. Folic acid deficiency, 153.
WILLIAMS, J. N., JR. See Bothwell, J. W., 245.
WILSON, E. D. See Leichsenring, J. M., 407.
Women, college, effect of level of intake on calcium and phosphorus metabolism in, 407.
—— magnesium metabolism in: observations on effect of calcium and phosphorus intake levels, 477.

YAMAMOTO, R., C. BARROWS, JR., C. LANG AND B. F. CHOW. Further studies on the absorption of vitamin B_{12} following oral and parenteral administration, 507.
Yellow fat in mink, 183.
Young calves (see Calves, young).